



Suite 890, 999 West Hastings St., Vancouver, British Columbia, V6C 2W2  
Phone: 604-682-2168/ Toll Free: 800-266-4484 /Fax: 604-682-2169

### **Andover Provides Compilation of 2007 Results from SUN Property, Alaska**

**January 16, 2008, Vancouver, B.C. – Andover Ventures Inc.** (“Andover” or the “Company”) (AOX-TSX:V) (R2X-Frankfurt Exchange) wishes to provide a synopsis of the 2007 drilling results previously announced by the Company October 11, October 31<sup>st</sup>, December 4<sup>th</sup> and December 12<sup>th</sup> 2007 from the Company’s flagship property, SUN, a volcanogenic massive sulfide (VMS) deposit located in the Ambler Mining District in the Brooks Range in Northwestern Alaska.

To recap 2007 work/ drill program undertaken by the Company, conducted at the SUN deposit:

- New 20-man permanent camp.
- 1,500 foot permanent airstrip.
- Geochemical sampling along the strike.
- Two Boart-Longyear LF 70s drilled 4,496 meters (14,750 feet) of NQ2 core in 20 holes.
- Nineteen of the twenty holes encountered mineralized zones ranging from an estimated 1.20 to 37.01 meters (3.9 to 121.42 feet) thick. The 2007 drill program tested along 1,400 meters strike.
- Seven of the holes encountered two mineralized horizons.
- Two drill holes encountered three mineralized zones.
- Thirty total intersections were encountered and average over 6 meters (20 feet) thick of massive and semi-massive mineralization.
- Discovered/ identified a new thickened zone.
- Extended the strike length by 300 meters North.
- Discovered lower “Hot” zone, up to 30.0 meters thick, open in both directions.

Copper, Lead, Zinc, Silver and Gold analysis for the mineralized intercepts received are included in the table below:

Hole No.	from (m)	to (m)	thickness (m)	Cu (%)	Pb (%)	Zn (%)	Ag (g/t)	Au (g/t)
Sun 07-01	84.50	88.55	4.05	0.70	2.60	6.00	133.0	0.273
Sun 07-02	136.70	139.70	3.00	7.40	2.50	7.40	182.9	0.241
Sun 07-03	140.00	145.00	5.00	0.30	0.03	5.00	265.0	0.462
Sun 07-04	171.00	173.74	2.74	0.14	0.27	1.02	6.2	0.059
Sun 07-05	165.00	167.00	2.00	0.93	0.49	1.08	29.5	0.124
Sun 07-06	93.35	96.35	3.00	0.15	3.59	5.92	148.0	0.217
Sun 07-07	FAULTED	HOLE	ASSAYS	BELOW				
Sun 07-07	89.20	89.45	0.25	0.37	1.24	2.91	75.0	0.174
Sun 07-09	106.30	111.40	5.10	3.1	0.68	3.85	206.9	0.929
Sun 07-10	83.80	94.74	10.94	2.34	0.77	5.98	68.1	0.266
and	128.57	133.65	5.08	4.34	0.58	2.76	99.1	0.199
Sun 07-11	108.80	110.80	2.00	1.17	0.04	0.22	4.9	0.251
and	168.70	173.40	4.70	0.66	1.87	8.85	64.4	0.163
Sun 07-12	114.55	146.97	32.42	1.04	0.80	2.83	81.2	0.261
Includes	114.55	119.80	5.25	1.94	1.91	6.52	194.0	0.391
Includes	123.53	124.17	0.64	1.10	6.54	9.30	628.6	2.360
Includes	133.00	146.97	13.97	1.61	0.90	3.65	82.4	0.317
Sun 07-13	71.44	108.45	37.01	1.17	1.85	7.26	44.0	0.179
Includes	72.10	84.00	11.90	1.07	5.38	16.54	86.6	0.210
Includes	84.00	94.40	10.40	2.11	0.31	6.28	41.9	0.322
Includes	104.9	108.45	3.55	0.98	0.08	0.52	9.9	0.660
And	139.33	141.00	1.67	1.41	1.59	5.93	73.8	0.162
Sun 07-14	38.43	40.64	2.21	3.53	0.50	1.48	47.7	0.138
And	52.00	82.20	30.20	1.06	0.69	2.03	43.0	0.344
Includes	52.00	59.20	7.20	1.68	2.64	5.53	156.5	1.188
Includes	67.70	74.00	6.30	0.99	0.12	1.86	10.4	0.115
Includes	78.64	82.20	3.56	2.61	0.19	2.34	25.1	0.153
Sun 07-8a	85.34	93.60	8.26	0.80	0.50	1.00	105.0	0.294
Includes	85.34	88.80	3.46	1.20	5.00	10.20	226.0	0.482
And	107.06	112.00	4.94	1.50	0.00	0.00	5.7	0.099
And	119.00	123.85	4.85	1.50	0.20	0.90	26.0	0.136
Sun 07-15	46.65	52.00	5.35	4.00	0.20	2.50	27.8	0.331
And	99.80	100.70	0.90	3.70	0.40	3.20	76.3	1.232
And	106.35	110.20	3.85	0.60	0.30	2.00	20.3	1.494
Sun 07-16	128.10	159.50	31.40	0.90	0.40	1.50	15.8	0.060
Includes	128.10	134.25	6.15	0.50	0.20	1.00	17.3	0.116
Includes	145.25	159.50	14.25	1.70	0.80	2.70	34.8	0.066
Includes	148.25	151.60	3.35	4.10	1.30	3.80	70.8	0.123
Sun 07-17	59.00	61.00	2.00	1.10	0.00	0.10	5.0	0.083
And	81.00	82.00	1.00	0.40	1.30	4.60	35.5	0.192
And	93.75	95.00	1.25	1.10	0.80	6.00	28.4	0.058
And	126.10	134.70	8.60	0.80	0.60	2.60	33.7	0.363
And	168.40	170.40	2.00	3.00	0.10	0.80	16.3	0.272
Sun 07-20	151.28	161.30	10.02	1.20	1.50	7.50	61.7	0.203
Includes	153.00	157.96	4.96	1.00	2.70	13.60	93.1	0.198
And	183.50	192.80	8.70	2.70	0.30	1.70	34.6	0.131
Sun 07-21	197.82	210.31	12.49	1.70	0.70	3.30	81.0	0.227
Sun 07-22	166.00	197.50	31.50	0.80	0.80	3.00	35.5	0.121
Includes	166.00	177.50	11.50	1.40	2.10	7.80	89.5	0.298
Includes	191.10	197.95	6.85	0.90	0.20	0.80	10.4	0.043
And	203.60	205.40	1.80	1.50	0.10	0.30	31.0	1.107

All drilling conducted at SUN was within 30 degrees of being perpendicular to bedding; hence thicknesses should all be close to true thickness.

The core samples were sawed and half the core was sent to Alaska Assay Labs in Fairbanks Alaska for a 30 element ICP-AA analysis with gold and silver fire assayed with an AA finish. Base metal overlimits were wet assayed. Check assays have been done at ALS Chemex labs in Vancouver, British Columbia. Blanks and standards were inserted with each sample shipment.

These results have outlined a new 500 meter long 50-100 meter wide thickened zone which averages 35.5 meters (**116.5 ft**) thick. This highly prospective thickened zone is open to the south for at least a further 150 meters (**492 ft**) towards a fault that currently bounds the main SUN mineralized zone. In 2007 AOX intercepted six (6) fold thickened intercepts over the 500 meters, which average 35.5 meters thick hosting an average grade of 1.05% Cu, 0.81% Pb, 3.26% Zn, 42.9gm/t Ag and 0.176gm/t Au.

This prospective large volumetric addition and *thickened zone was not considered in the Main SUN resource calculation completed in January 2007.*

In 2007 Andover has extended the Main SUN deposit 300 meters to the Northeast and has discovered a new lower "HOT" zone ranging, 8.6 meters to 30.0 meters thick. *This new lower "HOT" zone is open in both directions and was not included in the January 2007 Main SUN resources calculation.*

*Andover encountered 39 separate massive sulfide zones during the 2007 season which average 6.82 meters (22.4 ft) thick over a strike length of 1,400 meters (4593 ft) to a depth of 250 meters (820 ft). Average grade was 1.5% Cu, 1.0% Pb, 3.85% Zn, 63.1 gm/t Ag and 0.266 gm/t Au.*

**Andover's website - [www.andoverventures.com](http://www.andoverventures.com)**

**ON BEHALF OF THE BOARD**

*Signed "Robert Gardner"*

Robert Gardner

Chairman of the Board

FOR FURTHER INFORMATION PLEASE CONTACT:

Investor Relations:

Richard Martens

Telephone: 1-604-682-2168

Int'l Toll Free: 1-800-266-4484

Facsimile: 1-604-682-2169

[rick@andoverventures.com](mailto:rick@andoverventures.com)

The TSX Venture Exchange has not reviewed nor does it accept responsibility for the adequacy or accuracy of this press release.

